

microprocessors and microsystems

Index to Volume 10 Numbers 1-10, pages 1-584 (1986)

Subject index

(P) = product news;
(I) = interface;
(A) = applications

Apple II		BBC microcomputer		— software for automatic computer exchange	491
— in audio time delay system	500	— for data collection	33	— using M68000	148
Applications	33, 295, 332	— for teaching computer-aided engineering	313	Crossassemblers	
— of BBC microcomputer	33	— in handprinted text reader	377	— for the TMS32010	434
— of S100 bus	120	— interfacing to speech recognizers	371	Custom ICs	
Application-specific ICs		Benchmarks		— design workstation for (P)	43
— manufacture (I)	50	— for dual-microcomputer system	3	— manufacture of (I)	50
Arithmetic processors		Bipolar logic arrays (P)	284	Data acquisition	
— for 6802 systems	442	Board tester		— in laboratory experiments	325
Assembly language		— for bus structured boards (P)	180	DC motor	
— tutorial programs	336	Book reviews	38, 171, 227, 282, 343, 454, 510, 563	— speed control system for	543
Audio time delay		Built-in self-test		Debugging	
— 6809-based system for	500	— for VLSI circuits	139	— graphics-based tool	195
Automation		— new techniques	531	— in embedded control systems	491
— role of MAP in industry	363	C		— Z80	198
Backplane buses		— commands for increasing flexibility of Unix for software development	540	Delay generators	
— comparison of 32-bit buses	94	Car navigation		— microprocessor control application	25
— Fastbus	77, 94	— microprocessor software for (A)	296	Design for testability	
— Futurebus	65, 94, 125, 131	CD ROM		— in VLSI circuits	139
— independent user's view	125	— SCSI interface	349	— new methods	531
— M3	101	— standard specifications (I)	411	Digital signal processing	
— Multibus I	125	Communications		— microcomputer processing of	
— Multibus II	91, 94	— European research project (RACE) (I)	244	— 10 MHz acoustic signals	273
— Nubus	94	Computer vision		— simulation of	419
— physics of buses	61, 94	— system based on a single-chip microcomputer	485	— software development	251
— Q-bus	108	Computer-aided engineering		Digital signal processors	
— S100	120	— teaching with the BBC microcomputer	313	— DSP56000 (P)	400
— STD bus	115	Computer-aided manufacturing		— IMS A100 (P)	461
— STEbus	125	— teaching with the BBC microcomputer	313	— PDSP 16112 (P)	400
— VAXBI (P)	284	Concurrency		— TMS32010	251, 434
— VMEbus	86, 94, 125, 305	— in distributed systems	475	Distributed processing	
— VMX (I)	244	Control applications		— software constraints on	475
— VSB	307	— embedded systems in	491	Dual-microcomputer systems	
— VSB (I)	244	— implementing PID algorithms on microprocessors	543	— with shared memory and I/O bus	3
BASIC		— microcomputer design for	216	Embedded systems	
— programming the BBC microcomputer in	33	— pingpong playing robot	333	— microprocessor software for an automated computer exchange	491

Fifth-generation computers		— 740 series (P)	234	Robots	
— using Futurebus	69	— 8751	485	— to play pingpong	332
Flag bits		Microcontrollers		R&D reports	340, 397, 451, 506, 560
— on 8085	169	— HPC family (P)	346		
Flight control simulation		Microprocessor development		Scan path	
— using the 68000	148	— PC development system (P)	347	— in VLSI testing	531
Floating-point coprocessors		— system with switched memory		Shared memory	
— 68882 (P)	567	decoding	392	— in dual-microcomputer system	3
FORTH		Microprocessor modules		Signature analysis	
— CM4000 implementation (P)	41	— Clipper (P)	179	— in VLSI testing	531
Gate arrays (P)	460	Microprocessors		Silicon compilation	
Graphics		— 6502	278	— VLSI design workstation (P)	43
— 82720-based board design	386	— 6800	278, 392	Simulation	
Graphics processors		— 68800	543	— of digital signal processing	419
— 82786 (P)	348	— 6802	216, 442	Single-board computers	
— TMS34010 (P)	516	— 6809	500	— NS32008 evaluation board	28
		— 8085	169	— PolyFORTH development board	268
IC testing		— 32008	28, 148	Software development	
— database test method	161	— 68000	11, 202, 258	— crossassembler for TMS32010	434
Industrial automation		— 68030 (P)	567	Software development	
— role of MAP	363	— 82720	386	— for TMS32010	251
Industrial control		— 82786 (P)	348	— increasing flexibility of Unix for	540
— STD bus in	115	— Am9511A	442	Software protection	
Intel 8085		— ARM (P)	459	— CPU encoder (P)	400
— logical operations on flag bits	169	— NC4000 (P)	41	Speech output	
— undocumented features of	169	— TMS320 series	419	— talking teletext receiver	553
Intel 82720		— TMS32010	251, 434		
— graphics board design with	386	— Transputer	211	Speech recognition	
Interfacing		— Z80	195, 427	— IBM microcomputer system	300
— 6800 to Apple II	278	— Z80 000 (P)	285	— using Walsh analysis	427
— analogue interface for laboratory				— 'transparent' interfacing to	
experiments	325	Military applications		microcomputers	371
— peripheral interface adaptors	222	— screening for 32000 (I)	51	STEBus	
— 'transparent' interfacing of		Multimicroprocessors		— development system (P)	349
speech recognizers	371	— message passing primitives in	156		
Interrupts		Multitasking		Teletext	
— bus sharing	91	— in embedded control systems	491	— talking receiver for the blind	553
— in 68000	202, 258			Time delay	
I/O communication		NC4000 FORTH microprocessor (P)	41	— audio, 6809-based system for	500
— a shared I/O bus	3	Network controllers	17	TMS320	
		Network switching		— simulation experiences	419
Laboratory instrumentation		— in an automatic computer		TMS32010	
— microcomputer design	216	exchange	491	— crossassembler for	434
Local area networks		Networks		— software development for	251
— topologies and protocols	17	— Cambridge Ring	17	Transputer	
		— CSMA/CD (Ethernet)	17	— communication link	211
Machine reading		— MAP	363	— supercomputer architecture (A)	297
— handprinted text reader	377	— token bus	17		
Manufacturing Automation Protocol		— token ring	17	Unix	
(MAP)		NS32008		— new commands for increasing	
— European CNMA project (I)	299	— evaluation board for	28	flexibility in software	
— role in industrial networks	363			development	540
— token bus controller (P)	233	Open Systems Interconnect		— system V release 3.0 (P)	401
— UK government awareness		— role of MAP	363		
schemes (I)	410	Optical sensors		Vision	
MC6800		— based on dynamic RAM	485	— system based on a single-chip	
— development system	392			microcomputer	485
MC68800		Parallel computing		Viterbi decoding algorithm	
— in DC motor control system	543	— Futurebus-based architecture	69	— microprocessor implementation	
MC6802		Personal computers		of	11
— software controller for	442	— for laboratory control experiments	325	VLSI	
MC6809		PID algorithm		— 'soft errors' (I)	51
— in audio time delay system	500	— microprocessor implementation		VMEbus	
MC68000		for DC motor control	543	— subsystem buses	307
— exception handling in	202, 258	Program monitoring		— in VME subsystem design	307
— for process control	148	— graphics-based debugger	198	— superseded by VSB (I)	244
— implementation of Viterbi				VMX	
decoding algorithm	11	RACE communications project (I)	244	— in VME subsystem design	307
— interrupts in	202, 252	RAMs		— new bus supersedes VMX (I)	244
MC68030 (P)	567	— in mixed bipolar and CMOS	568	Z80	
MC68882 (P)	567	RISC		— debugging tool for	198
Message implementations		— Acom RISC machine (P)	459	— speech recognition system	427
— in distributed systems	475	— in IBM workstation (I)	188	Z80 000 (P)	285
Message passing		— workstation implementations (I)	458	Z-2D microcomputer	
— primitives	156	Robotics		— interfacing to speech recognizers	371
— using Multibus II	91	— teaching with the BBC			
Microcomputers		microcomputer	313		
— Apple II	500				
Microcomputers (single chip)					

Author index

(A) = applications;
(DN) = design note;
(PP) = product profile;
(RN) = research note;
(T) = teach-in;
(U) = update

Alexander, J Evolution and use of the VME subsystem bus — VSB	307
Alford, G D Teaching computer-aided engineering on the BBC microcomputer	313
Alshaban, S Microprocessor-based delay generators (DN)	25
Al-Kindi, M see Dunlop, J	251
Anvekar, D K see Narasimhan, V L	3
Batchelor, D Advances in STD system capability	115
Bergman, G D Development equipment with switched memory decoding (DN)	392
Biswas, J C see Chakraborty, P K	169
Borill, P Objective comparison of 32-bit buses (U)	94
Bradshaw, A Minimal M68000 system controllers for fast acting multi-input multi-output processes	148
Campbell, B see Robertson, P J	33
Campbell, D R Crossassembler for the TMS 32010 digital signal processor	434
Canning, C see Campbell, D R	434
Chakraborty, P K Logical operations on flag bits X5 and CY, definition of D3 and an undocumented feature of instruction DADrp in the 8085 (RN)	169
Chance, J Simulation experiences in the development of software for digital signal processors	419
Chang, I S see Chen, W H	273
Chen, W H Microcomputer processing of 10 MHz acoustic signals	273
Chmielowski, M Data acquisition and control system for laboratory experiments	325
Civello, F Embedded microprocessor software: case study of an automatic computer exchange	491
Clements, A Exception handling in the 68000, Part 1 (T)	202
Clements, A Exception handling in the 68000, Part 2 (T)	258
Corsini, P Software development tool for target systems and EPROM programmers within a Unix environment	540
Dabbagh, H I 'Transparent' interfacing of speech recognizers to microcomputers	371
Damper, R I see Dabbagh, H I	371
Davidson, J 32008-based single-board microcomputer (DN)	28
Davies, A C Graphbug — a microprocessor software debugging tool	195
Dawes, S Why the Q-bus lives on	108
Del Corso, D Experiences in designing the M3 backplane bus standard	101
Dimond, K R see Said, S M	11
Dunlop, J Hardware system for realtime signal processing software development	251

Edward, R Futurebus — the independent standard for 32-bit systems	65
Fujiwara, H Design for testability and built-in self-test for VLSI circuits	139
Gascoigne, J D see Weston, R H	363
George, G W S100 in commercial applications	120
Goussous, A S see Davies, A C	195
Gustavson, D Introduction to the Fastbus	77
Guy, D P see Dabbagh, H I	371
Haley, A Interactive development environment for single-board computers	268
Heath, S Building up a system architecture using VMEbus	86
Jerew, D H see Wahab, A A	161
Kim, J see Martin, J	216
Knight, J Pingpong-playing robot controlled by a microcomputer (A)	332
Konnanov, P see Bradshaw, A	148
Linge, N Emerging local area network technologies (T)	17
Lowery, D see Knight, J	332
Malyan, R Handprinted text reader that learns by experience	377
Mansour, Z see Alshaban, S	25
Martin, J Microcomputer for the dynamics laboratory	216
Miller, K see Campbell, D R	434
Muchmore, S Multibus II message passing	91
Nagarajan, R see Wahab, A A	161
Narasimhan, V L Design and evaluation of a dual-microcomputer shared memory system with a shared I/O bus	3
Ng, K W Message-passing primitives for multimicroprocessor systems	156
Oakford, H see Haley, A	268
Omotayo, O R Talking teletext receiver for the blind	553
Peyton-Jones, S Using Futurebus in a fifth-generation computer	69
Prabhakar Rao, P New design for an 82720-based colour graphics generator (DN)	386
Prete, C A see Corsini, P	540
Ramachandra, J K see Narasimhan, V L	3
Ranga Rao, K V Software controller for an arithmetic processor	442
Refai, M K Microprocessor-based digital controller for DC motor speed control	543
Robertson, P J Example of the use of the BBC microcomputer for data collection (A)	33
Rowe, M An independent user's view of backplane bus standards	125
Russell, G Design for testability — a review of advanced methods	531
Russell, R A Vision system based on a single-chip microcomputer	485
Said, S M Realtime implementation of the Viterbi decoding algorithm on a high-performance microprocessor	11
Sayers, I L see Russell, G	531
Sia, L C see Tan, B T G	278
Srinivasan, S see Prabhakar Rao, P	386
Steele, P see Tomek, I	336
Stephens, C see Haley, A	268
Subramanyam, O see Ranga Rao, K V	442
Sumptner, C M see Weston, R H	363
Sunthakar, S see Malyan, R	377
Tan, B T G 12-bit digital audio time delay using the 6809	500

Tan, B T G 6800 coprocessor for a 6502 bus (DN)	278
Taylor, M Flexible interface based on the peripheral interface structure (DN)	222
Taylor, R Transputer communication link	211
Tay, L P see Tan, B T G	500
Tomek, I Assembler-monitor package to teach assembly language (PP)	336
Tyler, J Speech recognition system using Walsh analysis and dynamic programming	427
Wahab, A A Simple IC tester using a database technique	161
Weston, R H Industrial computer networks and the role of MAP, Part 1	363
Whiddett, R Distributed programs: an overview of implementations	475
Wilson, R The physics of driving backplane buses	61
Woodhead, M A see Bradshaw, A	148

Title index

(A) = applications;
(DN) = design note;
(PP) = product profile;
(RN) = research note;
(T) = teach-in;
(U) = update

Advances in STD system capability	115
An independent user's view of backplane bus standards	125
Assembler-monitor package to teach assembly language (PP)	336
Building up a system architecture using VMEbus	86
Crossassembler for the TMS32010 digital signal processor	434
Data acquisition and control system for laboratory experiments	325
Design for evaluation of a dual-microcomputer shared memory system with a shared I/O bus	3
Design for testability and built-in self-test for VLSI circuits	139
Design for testability — a review of advanced methods	531
Development equipment with switched memory decoding (DN)	392
Distributed programs: an overview of implementations	475
Embedded microprocessor software: case study of an automatic computer exchange	491
Emerging local area network technologies (T)	17
Evolution and use of the VME subsystem bus — VSB	307
Example of the use of the BBC microcomputer for data collection (A)	33
Exception handling in the 68000, Part 1 (T)	202
Exception handling in the 68000, Part 2 (T)	258
Experiences in designing the M3 backplane bus standard	101
Flexible interface based on the peripheral interface structure (DN)	222
Futurebus — the independent standard for 32-bit systems	65
Graphbug — a microprocessor software debugging tool	195

Handprinted text reader that learns by experience	377	controller for DC motor speed control	543	Software development tool for target systems and EPROM programmers within a Unix environment	540
Hardware system for realtime signal processing software development	251	Minimal M68000 system controllers for fast acting multi-input multi-output processes	148	Speech recognition using Walsh analysis and dynamic programming	427
Industrial computer networks and the role of MAP, Part 1	363	Multibus II message passing	91	Talking teletext receiver for the blind	553
Interactive development environment for single-board computers	268	New design for an 82720-based colour graphics generator (DN)	386	Teaching computer-aided engineering on the BBC microcomputer	313
Introduction to the Fastbus	77	Objective comparison of 32-bit buses (U)	94	The physics of driving backplane buses	61
Logical operations on flag bits X5 and CY, definition of D3 and an undocumented feature of instruction DADrp in the 8085 (RN)	169	Pingpong-playing robot controlled by a microcomputer (A)	332	'Transparent' interfacing of speech recognizers to microcomputers	371
Message-passing primitives for multimicroprocessor systems	156	Realtime implementation of the Viterbi decoding algorithm on a high-performance microprocessor	11	Transputer communication link	211
Microcomputer for the dynamic laboratory	216	\$100 in commercial applications	120	Using Futurebus in a fifth-generation computer	69
Microcomputer processing of 10 MHz acoustic signals	273	Simple IC tester using a database technique	161	Vision system based on a single-chip microcomputer	485
Microprocessor-based delay generators (DN)	25	Simulation experiences in the development of software for digital signal processors	419	Why the Q-bus lives on	108
Microprocessor-based digital		Software controller for an arithmetic processor	442	12-bit audio time delay using the 6809 (DN)	500
				6800 coprocessor for a 6502 bus (DN)	278
				.32008-based single-board microcomputer (DN)	28

